AMENDMENTS

In the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Original) A method of email administration,

the method implemented in a transcoding gateway, the transcoding gateway comprising client device records stored in computer memory, each client device record representing a client device, each client device record including

a mailbox address field, an internet address field, a digital file format code field, and a path name field,

the transcoding gateway further comprising at least one file system, each file system further comprising file system storage locations, each file system storage location having a path name,

the method comprising the steps of:

receiving in the transcoding gateway an email message, the email message comprising at least one destination mailbox address, the email message further comprising at least one digital object;

transcoding the digital object into a digital file having a digital format and a file name; and

downloading the digital file to a destination client device at an internet address recorded in an internet address field of a client device record, the client device record having:

recorded in the client device record's mailbox address field, a mailbox address identical to the destination mailbox address of the email message, and,

recorded in the client device record's digital file format code field, a digital file format code indicating that the client device represented by the client device record is capable of receiving the digital format of the digital file.

- 2. (Original) The method of claim 1 further comprising recording a multiplicity of client device records representing a multiplicity of client devices, including recording for each client device a mailbox address, an internet address where the client is to be found on an internet, a digital file format code identifying a digital file format that the client device is capable of receiving, and a path name identifying a location in a file system where digital files for each client device are to be stored.
- (Original) The method of claim 1 wherein receiving an email message further comprises receiving an email message by use of a standard email protocol.
- 4. (Original) The method of claim 3 wherein the standard email protocol is SMTP.
- 5. (Original) The method of claim 3 wherein the standard email protocol is POP3.

- 6. (Original) The method of claim 1 wherein the file name includes a file name extension identifying the digital format of the digital file.
- 7. (Original) The method of claim 1 wherein each client device represented by a client device record comprises automated computing machinery, a web browser, and an internet client having an internet address.
- 8. (Original) The method of claim 1 wherein the downloading is carried out by use of HTTP.
- 9. (Original) The method of claim 1 further comprising the steps of:

storing the digital file in a file system location having a digital file path name identical to a path name recorded in a path name field in a client device record, the client device record having recorded in its mailbox address field a mailbox address equal to the mailbox address of the email message; and

encoding the digital file path name and the file name of the digital file into an HTML document having a conventional file name;

wherein downloading the digital file to the client device further comprises downloading the HTML document.

- 10. (Original) The method of claim 9 wherein encoding the digital file path name and the file name of the digital file into an HTML document further comprises encoding a URL in a hyperlink in an HTML document.
- 11. (Original) The method of claim 9 wherein the conventional file name is "index.html."

- 12. (Original) The method of claim 9 wherein the conventional file name is "index.htm."
- 13. (Original) The method of claim 9 further comprising storing the HTML document in the file system location identified by the path name.
- 14. (Original) The method of claim 9 wherein downloading the digital file further comprises:

receiving, from a client device, a first HTTP request message requesting the HTML file having the conventional file name, wherein the first HTTP request message includes a client internet address for the client device;

sending, in an HTTP response message to the client device, the HTML document having the conventional file name from a file system location identified a path name recorded in a client device record's path name field of a client record whose internet address field contains an internet address equal to the client internet address; and

receiving from the client device a second HTTP request message, wherein the second HTTP request message requests downloading of the digital file identified by the path name and the file name of the digital file encoded into the HTML document.

- 15. (Original) The method of claim 1 wherein receiving an email message further comprises posting the email message to a destination mailbox at the destination mailbox address.
- 16. (Original) The method of claim 1 further comprising delivering the email message from the destination mailbox to an email client, wherein the delivering is carried out by use of a standard email protocol.

- 17. (Currently Amended) The method of claim 1716 wherein the standard email protocol is POP.
- 18. (Currently Amended) The method of claim 1716 wherein the standard email protocol is POP3.
- 19. (Original) The method of claim 1 wherein the destination client device is an audio player and the digital format of the digital file is MP3.
- 20. (Original) The method of claim 1 wherein the destination client device is a video player and the digital format of the digital file is MPEG.
- 21. (Original) The method of claim 1 wherein the destination client device is a digital picture frame and the digital format of the digital file is JPEG.
- 22. (Original) The method of claim 1 wherein the destination client device is a digital picture frame and the digital format of the digital file is GIF.
- 23. (Original) A system for email administration,

the system implemented as a transcoding gateway, the transcoding gateway comprising client device records stored in computer memory, each client device record representing a client device, each client device record including

a mailbox address field, an internet address field, a digital file format code field, and a path name field,

the transcoding gateway further comprising at least one file system, each file system further comprising file system storage locations, each file system storage location having a path name.

the system comprising:

means for receiving in the transcoding gateway an email message, the email message comprising at least one destination mailbox address, the email message further comprising at least one digital object;

means for transcoding the digital object into a digital file having a digital format and a file name; and

means for downloading the digital file to a destination client device at an internet address recorded in an internet address field of a client device record, the client device record having:

recorded in the client device record's mailbox address field, a mailbox address identical to the destination mailbox address of the email message, and,

recorded in the client device record's digital file format code field, a digital file format code indicating that the client device represented by the client device record is capable of receiving the digital format of the digital file.

24. (Original) The system of claim 23 further comprising means for recording a multiplicity of client device records representing a multiplicity of client devices, including means for recording for each client device a mailbox address, an internet address where the client is to be found on an internet, a digital file format code identifying a digital file format that the client device is capable of receiving,

and a path name identifying a location in a file system where digital files for each client device are to be stored.

- 25. (Original) The system of claim 23 wherein means for receiving an email message further comprises means for receiving an email message by use of a standard email protocol.
- 26. (Original) The system of claim 25 wherein the standard email protocol is SMTP.
- 27. (Original) The system of claim 25 wherein the standard email protocol is POP3.
- 28. (Original) The system of claim 23 wherein the file name includes a file name extension identifying the digital format of the digital file.
- 29. (Original) The system of claim 23 wherein each client device represented by a client device record comprises automated computing machinery, a web browser, and an internet client having an internet address.
- 30. (Original) The system of claim 23 wherein the means for downloading utilizes HTTP.
- 31. (Original) The system of claim 23 further comprising:

means for storing the digital file in a file system location having a digital file path name identical to a path name recorded in a path name field in a client device record, the client device record having recorded in its mailbox address field a mailbox address equal to the mailbox address of the email message; and

means for encoding the digital file path name and the file name of the digital file into an HTML document having a conventional file name;

wherein means for downloading the digital file to the client device further PAGE 11/11* RCVD AT 12/16/2004 4:17:19 PM [Eastern Standard Time] * SVR:USPTO-EFXRF-1/2* DNIS:8729306 * CSID: * DURATION (mm-ss):03-24